

Stoll New Holland Loader ready liftarm reference

STOLL LIFTARM NH BLUE	LIFTARM WIDTH	NH ORDER CODE	TRACTOR RANGE / MODEL
FS 10.1	Wide	TL730.1NSL	Option T5 UTL
FZ 10.1	Wide	TL730.1SL	Option T5 UTL
FS 20	Narrow	TL740NSL	T6020
FZ 20	Narrow	TL740SL	T6020
FS 20.1	Wide	TL740.1NSL	T5 UTL/ T5 EC
FZ 20.1	Wide	TL740.1SL	T5 UTL/ T5 EC
FS 40	Narrow	TL760NSL	T6050/T6070
FZ 45	Narrow	TL760SL	T6050/T6070
FS 40.1	Wide	TL760.1NSL	T6
FZ 45.1	Wide	TL760.1SL	T6
FS 40.1-02	Wide	TL760.1-02NSL	Option T7 SWB
FZ 45.1-02	Wide	TL760.1-02SL	Option T7 SWB
FZ 50.1	Wide	TL770.1SL	T7 SWB
FZ 60.1	Wide	TL780.1SL	Option T7 SWB

• STOLL ACCESSORIES

STOCK CODE	DESCRIPTION
AGH-300	Joystick Upgrade c/w Transmission Switches -T6000 LR
3466040	Comfort Drive Suspension TL730/TL740
3466050	Comfort Drive Suspension TL760/TL770
3466060	Comfort Drive Suspension TL780
3603560	MX Adapter Kit

• STOLL EARTH BUCKETS


STOCK CODE	DESCRIPTION
3428200	ROBUST 1.7
3428280	ROBUST 1.9
3428290	ROBUST 2.05
3428300	ROBUST 2.2
3428310	ROBUST 2.4

SPECIFICATIONS

STOLL PROFILINE FS/FZ

FS = Non Self level, FZ = Self Level

	FS8	FZ8	FS10 FS10.1	FZ10 FZ10.1	FS20 FS20.1	FZ20 FZ20.1	FS40 FS40.1	FZ45 FZ45.1	FZ50 FZ50.1	FZ60.1	FZ80.1
Q1	1960	1960	2020	2020	2490	2490	2590	2590	2750	2880	3020
Q2	1510	1510	1510	1510	1860	1860	1990	1990	2240	2470	2590
N1	1650	1960	1720	2020	2130	2490	2240	2590	2750	2880	3020
N2	1250	1510	1260	1510	1560	1860	1690	1990	2240	2470	2590
M1	1250	1960	1330	2020	1640	2490	1770	2590	2750	2880	3020
M2	930	1510	960	1510	1180	1860	1300	1990	2240	2470	2590
H	3.45m	3.45m	3.74m	3.74m	3.74m	3.74m	4.07m	4.07m	4.26m	4.46m	4.76m
L	3.24m	3.24m	3.53m	3.53m	3.53m	3.53m	3.86m	3.86m	4.05m	4.25m	4.55m
A	2.38m	2.38m	2.69m	2.69m	2.69m	2.69m	3.01m	3.01m	3.21m	3.41m	3.70m



Stoll New Holland Loader ready liftarm reference

STOLL LIFTARM NH BLUE	LIFTARM WIDTH	NH ORDER CODE	TRACTOR RANGE / MODEL
FZ39-23.1	Wide	675.1LA	Option T5 UTL
FS39-27	Narrow	680LA	T6020
FZ39-27	Narrow	685LA	T6020
FS39-27.1	Wide	680.1LA	T5 UTL/ T5 EC
FZ39-21.1	Wide	685.1LA	T5 UTL/ T5 EC
FS41-33	Narrow	730LA	T6050/T6070
FZ41-29	Narrow	725LA	T6050/T6070
FS41-33.1	Wide	730.1LA	T6
FZ41-29.1	Wide	725.1LA	T6
FS43-34.1	Wide	750.1LA	T7 SWB
FZ43-34.1	Wide	755.1LA	T7 SWB
FZ46-33.1	Wide	775.1LA	Option T7 SWB

• STOLL ACCESSORIES

STOCK CODE	DESCRIPTION
AGH-300	Joystick Upgrade c/w Transmission Switches -T6000 LR
3744090	Comfort Drive Suspension Series 36/39 Narrow
3744100	Comfort Drive Suspension Series 36/39 Wide
3744110	Comfort Drive Suspension Series 41/43 Narrow
3744120	Comfort Drive Suspension Series 41/43 Wide
3744130	Comfort Drive Suspension Series 46/48
3733790	MX Adapter Frame

• STOLL EARTH BUCKETS

STOCK CODE	DESCRIPTION
3428200	ROBUST 1.7
3428280	ROBUST 1.9
3428290	ROBUST 2.05
3428300	ROBUST 2.2
3428310	ROBUST 2.4



SPECIFICATIONS

STOLL PROFILINE NEXT GENERATION FS/FZ

FS = Non Self level, FZ = Self Level

	FS36-24 FS36-24.1	FZ36-24 FZ36-24.1	FZ39-23 FZ39-23.1	FS39-27 FS39-27.1	FZ39-27 FZ39-27.1	FS41-33 FS41-33.1	FZ41-29 FZ41-29.1	FS43-34 FS43-34.1	FZ43-34 FZ43-34.1	FZ46-33.1	FZ48-42.1
Q1	2370	2370	2300	2670	2670	3280	2880	3420	3420	3320	4150
Q2	1750	1750	1550	1800	1800	2200	1930	2200	2200	2590	2790
N1	2020	2370	2300	2300	2670	2840	2880	3000	3420	3320	4150
N2	1470	1750	1550	1500	1800	1870	1930	2080	2200	2590	2790
M1	1620	2370	2300	1860	2670	2320	2880	2480	3420	3320	4150
M2	1150	1750	1550	1180	1800	1490	1930	1640	2200	2590	2790
H	3.55m	3.55m	3.85m	3.85m	3.85m	4.10m	4.10m	4.32m	4.32m	4.55m	4.80m
L	3.34m	3.34m	3.64m	3.64m	3.64m	3.89m	3.89m	4.11m	4.11m	4.34m	4.59m
A	2.47m	2.47m	2.81m	2.81m	2.81m	3.06m	3.06m	3.29m	3.29m	3.49m	3.75m

